

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/07 07:30
L3	139	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/07 07:31
L4	4	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/07 07:32

L5	0	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5 not in order) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 07:34
L6	135	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5 not (in order)) with bandwidth near2 (allocat\$5 or assign\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 07:34
L7	28	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5 ) same (scheduler\$2) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 07:37
L8	629	(hid\$3 near3 (buffer\$2 or queue \$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:11
L9	106	((hide or hides or hiding) near3 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:11

L10	344	((hide or hides or hiding) with (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:12
L11	1599	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:15
L12	6	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (pon or epon or gpon or onu or olt) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:17
L13	224	((no or "not") near3 (updat\$5 or inform\$4 or signal\$5) near6 (buffer\$2 or queue\$2)) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and "370".clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/07/07 09:20
S46	45	(resequenc\$4 or reorder\$5) with fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 10:52
S47	656	(sequenc\$4 or order\$5) with fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 11:08

S48	15	(sequenc\$4 or order\$5) with (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 11:12
S49	16	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5) same (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:19
S50	749	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:22
S51	512	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:23

S52	60622	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same (avoid\$5 or prevent\$5 or stop\$5) fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:23
S53	16	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or fragment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same (avoid\$5 or prevent\$5 or stop\$5) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:25
S54	668	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/03 12:34
S55	1	("6205154").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/06 13:26
S56	2552933	"1" and ( packet\$2 or data)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/06 13:29
S57	1	S55 and ( packet\$2 or data)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/07/06 13:30

S58	25165	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:40
S59	2805	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) same (grant\$2 or allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:44
S60	1235	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with (grant\$2 or allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:44
S61	163	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (sequenc\$4 or order\$5 or resequenc\$5 or reorder\$5) with (grant\$2 ) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:52

S62	2	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with (grant\$2 ) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 18:53
S64	6	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) same grant\$2 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 20:09
S65	57	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with (assign\$5 or allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 20:40
S66	45	(resequenc\$5 or reorder\$5) with (fragment\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 21:31
S67	31	(sequenc\$4 or order\$5) same (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 21:51

S68	0	(resequenc\$4 or reorder\$5) same (avoid\$5 or prevent\$5 or stop\$4) near3 fragment\$5 and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 22:18
S69	16	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with ( allocat\$5) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 22:44
S70	35	(cell\$2 or frame\$2 or PDU\$2 or segment\$2 or datagram\$2 or packet\$2 or (data adj unit\$2 not fragment\$5) or grain or message\$2) near4 (resequenc\$5 or reorder\$5) with ( bandwidth) and (@ad<="20020913" or @pd<="20020913" or @rlan<="20020913" or @rlad<="20020913" or @rlpn<="20020913") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/07/06 22:45

7/7/2008 9:21:04 AM

C:\Documents and Settings\kcehic\Desktop\apps\10525505\505.wsp